## Rebates effective for installs on or after March 15<sup>th</sup>, 2024. Check <u>www.cngc.com/energy-efficiency</u> for most up-to-date information.

### Same AFUE minimum or higher   \$1,200	New and Existing Home Measures	Basic Specifications	Incentive
Condensing Boiler 1 space heating only 95% AFUE minimum or higher \$1,500 Combination Radiant Heat System 183 95% AFUE minimum or higher \$1,500 Condensing Tankless Water Heater 2 0.91 UEF minimum or higher \$700 ENERGY STAR® Clothes Washer 3 Model must be chosen from the ENERGY STAR certified Clothes Washer 1st hitses/www.certegya.arg.ov/product/colines.washers Exterior Entry (not sliding) Door 1 UF actor must be less than or equal to 0.21 National Fenestration Rating Council (NFRC) sticker required \$100 Smart Thermostat 1 Must be connected to home WIFI \$75  Existing Home Measures Basic Specifications Incentive Programmable Thermostat 1 7 day (flexibility)/5+2 (workweek/weekend)/5+1+1 day models \$50 Windows 1 U-Factor must be less than or equal to 0.22 59.00/sqft Must replace existing single pure windows U-Factor must be less than or equal to 0.30 \$50.00/sqft Attic Insulation 184 Insulation must be equal to or greater than R-60, or cavity filled to R-49 Prior attic insulation must not exceed R-19 Floor Insulation 184 Insulation must be equal to or greater than R-80, or cavity filled to R-19 Prior floor insulation must not exceed R-11  Wall/Sloped Ceiling Insulation 184 Insulation must be equal to or greater than R-80, or cavity filled to R-19 Prior floor insulation must be equal to or greater than R-8 and must be reported in linear feet Prior duct insulation must be equal to or greater than R-8 and must be reported in linear feet Prior duct insulation must not exceed R-1  Duct Sealing 1 Requires a minimum of 30% of applicable ductwork is outside of conditioned space  Prescriptive Air Sealing 184  Whole House Air Sealing 184  Minimum 400 CPM50 reduction using pre/post blower door testing \$500  Existing Home Bundle A 850  Any two unique insulation measures performed at the same time with a minimum 1,000sqft total	Furnace <sup>1</sup>	·	•
Combination Radiant Heat System 18-3 95% AFUE minimum or higher \$1,500  Condensing Tankless Water Heater 3 0.91 UEF minimum or higher 5700  ENERGY STAR® Clothes Washer 3 Model must be chosen from the ENERGY STAR certified Clothes Washer list: https://www.onegystar.gov/products/clothes.washers 550  Exterior Entry (not sliding) Door 1 U-Factor must be less than or equal to 0.21  National Fenestration Rating Council (NFRC) sticker required 5100  Smart Thermostat 1 Must be connected to home WiFi 575  Existing Home Measures Basic Specifications Incentive Programmable Thermostat 1 7 day (flexibility)/5+2 (workweek/weekend)/5+1+1 day models \$50  Windows 1 U-Factor must be less than or equal to 0.22 \$9.00/sqft \$5.00/sqft 1 4 U-Factor must be less than or equal to 0.30 \$5.00/sqft 1 U-Factor must be less than or equal to 0.30 \$2.00/sqft 1 U-Factor must be less than or equal to 0.30 \$2.00/sqft 1 U-Factor must be equal to or greater than R-60, or cavity filled to R-49 Prior attic insulation must not exceed R-10 \$2.00/sqft 1 U-Factor insulation must not exceed R-11 Split Insulation 18-2 Insulation must be equal to or greater than R-30, or cavity filled to R-19 Prior floor insulation must not exceed R-11 Insulation must not exceed R-11 Split Insulation 18-2 Insulation must not exceed R-10 \$2.00/sqft 1 U-Factor was 1 U-Factor must be equal to or greater than R-11, or cavity filled \$2.00/sqft 1 U-Factor must be equal to or greater than R-11, or cavity filled \$2.00/sqft 1 U-Factor must be equal to or greater than R-11, or cavity filled \$2.00/sqft 1 U-Factor must be equal to or greater than R-11, or cavity filled \$2.00/sqft 1 U-Factor must be equal to or greater than R-11, or cavity filled \$2.00/sqft 1 U-Factor must be equal to or greater than R-11, or cavity filled \$2.00/sqft 1 U-Factor must be equal to or greater than R-11, or cavity filled \$2.00/sqft 1 U-Factor must be equal to or greater than R-11, or cavity filled \$2.00/sqft 1 U-Factor must be equal to or greater than R-11, or cavity filled \$2.00/sqft 1 U-Factor must be eq	Hearth (Fireplace) <sup>2</sup>	70% EnerGuide FE (Fireplace Efficiency)	\$300
Condensing Tankless Water Heater <sup>3</sup> O.91 UEF minimum or higher  ENERGY STAR® Clothes Washer <sup>3</sup> Model must be chosen from the ENERGY STAR certified Clothes Washer list: https://www.energystar.gov/products/clothes.washers  Exterior Entry (not sliding) Door <sup>1</sup> U-Factor must be less than or equal to 0.21 National Fenestration Rating Council (NFRC) sticker required  S100  Smart Thermostat <sup>1</sup> Must be connected to home WiFi  \$75  Existing Home Measures  Basic Specifications  Incentive  Programmable Thermostat <sup>1</sup> 7 day (flexibility)/5+2 (workweek/weekend)/5+1+1 day models  \$50  Windows   Windows   U-Factor must be less than or equal to 0.22 U-Factor must be less than or equal to 0.30  \$50.00/sqft  Floor Insulation   18-4  Insulation must be equal to or greater than R-60, or cavity filled to R-49 Prior attic insulation must not exceed R-19  Insulation must be equal to or greater than R-30, or cavity filled to R-19 Prior floor insulation must not exceed R-10  Usualition must be equal to or greater than R-11, or cavity filled by Prior adult insulation must not exceed R-10  Insulation must be equal to or greater than R-8 and must be reported in linear feet Prior duct insulation must not exceed R-4  Insulation must be equal to or greater than R-8 and must be reported in linear feet Prior duct insulation must not exceed R-0  Prescriptive Air Sealing   18-4  Only legisle with Attic Insulation installation. Must meet BPA specifications for attic and crawl space sealing. Attic insulation must be present.  Whole House Air Sealing   18-4  Any two unique insulation measures performed at the same time with a minimum 1,000sqft total	Condensing Boiler <sup>1</sup> (space heating only)	95% AFUE minimum or higher	\$1,500
ENERGY STAR® Clothes Washer 3  Model must be chosen from the ENERGY STAR certified Clothes Washer list: https://www.energystarg.gov/products/clothes_washers  Exterior Entry (not sliding) Door 1  U-Factor must be less than or equal to 0.21 National Fenestration Rating Council (NFRC) sticker required  S100  Smart Thermostat 1  Must be connected to home WiFi  S75  Existing Home Measures  Basic Specifications  Incentive  Programmable Thermostat 1  7 day (flexibility)/5+2 (workweek/weekend)/5+1+1 day models  \$50  Windows 1 Must replace existing single pane windows  U-Factor must be less than or equal to 0.22 U-Factor must be less than or equal to 0.30  S50.0/sqft  Attic Insulation 18-1  Floor Insulation 18-4  Insulation must be equal to or greater than R-60, or cavity filled to R-49 Prior attic insulation must not exceed R-19  Insulation must be equal to or greater than R-30, or cavity filled to R-19 Prior floor insulation must not exceed R-11  Wall/Sloped Ceiling Insulation 18-4  Insulation must be equal to or greater than R-11, or cavity filled to R-19 Prior wall insulation must not exceed R-1  Insulation must be equal to or greater than R-11, or cavity filled by \$2.00/sqft  U-Factor insulation must not exceed R-1  Insulation must be equal to or greater than R-11, or cavity filled by \$2.00/sqft  Prior wall insulation must not exceed R-1  Duct Insulation 18-4  Requires a minimum of 30% of applicable ductwork is outside of conditioned space  Only eligible with Artic Insulation insulation. Must meet BPA specifications for attic and crawl space scaling. Attic insulation must be present.  Whole House Air Sealing 18-4  Minimum 400 CFM50 reduction using pre/post blower door testing  Any two unique insulation measures performed at the same time with a minimum 1,000sqft total	Combination Radiant Heat System 1 & 3	95% AFUE minimum or higher	\$1,500
Exterior Entry (not sliding) Door 1	Condensing Tankless Water Heater <sup>3</sup>	0.91 UEF minimum or higher	\$700
Smart Thermostat 1 Must be connected to home WiFi \$75  Existing Home Measures Basic Specifications Incentive Programmable Thermostat 1 7 day (flexibility)/5+2 (workweek/weekend)/5+1+1 day models \$50  Windows 1 U-Factor must be less than or equal to 0.22 \$9.00/sqft U-Factor must be less than or equal to 0.30 \$5.00/sqft U-Factor must be less than or equal to 0.30 \$5.00/sqft \$5.00/sqft Insulation 18.4 Insulation must be equal to or greater than R-60, or cavity filled to R-49 Prior attic insulation must not exceed R-19 \$2.00/sqft U-Factor must be equal to or greater than R-30, or cavity filled to R-19 Prior floor insulation must not exceed R-11 \$2.00/sqft U-Factor must be equal to or greater than R-11, or cavity filled to R-19 Prior floor insulation must not exceed R-11 \$2.00/sqft U-Factor must be equal to or greater than R-11, or cavity filled to R-19 Prior floor insulation must not exceed R-11 \$2.00/sqft U-Factor must be equal to or greater than R-11, or cavity filled to R-19 Prior must insulation must not exceed R-10 \$2.00/sqft U-Factor must be equal to or greater than R-10, or cavity filled S2.00/sqft U-Factor must be equal to or greater than R-10 or cavity filled S2.00/sqft U-Factor must be equal to or greater than R-10 or cavity filled S2.00/sqft U-Factor must be equal to or greater than R-10 or cavity filled S2.00/sqft U-Factor must be equal to or greater than R-10 or cavity filled S2.00/sqft U-Factor must be equal to or greater than R-10 or cavity filled S2.00/sqft U-Factor must be equal to or greater than R-10 or cavity filled to R-19 S2.00/sqft U-Factor must be equal to or greater than R-10 or cavity filled to R-19 S2.00/sqft U-Factor must be equal to or greater than R-10 or cavity filled to R-19 S2.00/sqft U-Factor must not exceed R-10 S2.00/sqft U-Factor must no	ENERGY STAR® Clothes Washer <sup>3</sup>		\$50
Existing Home Measures  Programmable Thermostat <sup>1</sup> 7 day (flexibility)/5+2 (workweek/weekend)/5+1+1 day models \$50  Windows <sup>1</sup> Must replace existing single pane windows  U-Factor must be less than or equal to 0.22 \$9.00/sqft  Attic Insulation <sup>1,8,4</sup> Insulation must be equal to or greater than R-60, or cavity filled to R-49 Prior attic insulation must not exceed R-19  Floor Insulation <sup>1,8,4</sup> Floor Insulation <sup>1,8,4</sup> Insulation must be equal to or greater than R-30, or cavity filled to R-19 Prior floor insulation must not exceed R-11  Wall/Sloped Ceiling Insulation <sup>1,8,4</sup> Insulation must be equal to or greater than R-11, or cavity filled to R-19 Prior wall insulation must not exceed R-1  Insulation must be equal to or greater than R-11, or cavity filled \$2.00/sqft  Prior wall insulation must not exceed R-0  Insulation must be equal to or greater than R-8 and must be reported in linear feet Prior duct insulation must not exceed R-0  Prescriptive Air Sealing <sup>1,4,8,5</sup> Only eligible with Attic Insulation installation. Must meet BPA specifications for attic and crawl space sealing. Attic insulation must be present.  Whole House Air Sealing <sup>1,4,8,5</sup> Minimum 400 CFM50 reduction using pre/post blower door testing  Existing Home Bundle A <sup>3,8,6</sup> Any two unique insulation measures performed at the same time with a minimum 1,000sqft total	Exterior Entry (not sliding) Door <sup>1</sup>	· · · · · · · · · · · · · · · · · · ·	\$100
Programmable Thermostat 1 7 day (flexibility)/5+2 (workweek/weekend)/5+1+1 day models \$50  Windows 1 U-Factor must be less than or equal to 0.22 \$9.00/sqft U-Factor must be less than or equal to 0.30 \$5.00/sqft    Attic Insulation 184 Insulation must be equal to or greater than R-60, or cavity filled to R-49 Prior attic insulation must not exceed R-19  Floor Insulation 184 Insulation must be equal to or greater than R-30, or cavity filled to R-19 Prior floor insulation must not exceed R-11  Wall/Sloped Ceiling Insulation 184 Insulation must be equal to or greater than R-30, or cavity filled to R-19 Prior floor insulation must not exceed R-11  Insulation must be equal to or greater than R-11, or cavity filled \$2.00/sqft  U-Eactor must be equal to or greater than R-11, or cavity filled \$2.00/sqft  Insulation must be equal to or greater than R-8 and must be reported in linear feet Prior duct insulation must not exceed R-4  Duct Insulation 186 Requires a minimum of 30% of applicable ductwork is outside of conditioned space  Prescriptive Air Sealing 184 Only eligible with Attic Insulation installation. Must meet BPA specifications for attic and crawl space sealing. Attic insulation must be present.  Whole House Air Sealing 1.4.85 Minimum 400 CFM50 reduction using pre/post blower door testing \$500  Existing Home Bundle A 586 Any two unique insulation measures performed at the same time with a minimum 1,000sqft total	Smart Thermostat <sup>1</sup>	Must be connected to home WiFi	\$75
Windows 1 Must replace existing single pane windows  U-Factor must be less than or equal to 0.22 U-Factor must be less than or equal to 0.30  Attic Insulation 1&4  Insulation must be equal to or greater than R-60, or cavity filled to R-49 Prior attic insulation must not exceed R-19  Insulation must be equal to or greater than R-30, or cavity filled to R-19 Prior floor insulation must be equal to or greater than R-30, or cavity filled to R-19 Prior floor insulation must be equal to or greater than R-11, or cavity filled prior wall insulation must not exceed R-11  Insulation must be equal to or greater than R-11, or cavity filled prior wall insulation must not exceed R-4  Insulation must be equal to or greater than R-8 and must be reported in linear feet Prior duct insulation must not exceed R-0  Duct Sealing 1  Requires a minimum of 30% of applicable ductwork is outside of conditioned space  Only eligible with Attic Insulation. Must meet BPA specifications for attic and crawl space sealing. Attic insulation must be present.  Whole House Air Sealing 1,4,8,5  Minimum 400 CFM50 reduction using pre/post blower door testing  Any two unique insulation measures performed at the same time with a minimum 1,000sqft total	Existing Home Measures	Basic Specifications	Incentive
Attic Insulation 18.4 Insulation must be equal to or greater than R-60, or cavity filled to R-49 Prior attic insulation must not exceed R-19 Floor Insulation 18.4 Insulation must be equal to or greater than R-30, or cavity filled to R-19 Prior floor insulation must be equal to or greater than R-30, or cavity filled to R-19 Prior floor insulation must be equal to or greater than R-30, or cavity filled to R-19 Prior floor insulation must be equal to or greater than R-11, or cavity filled Prior wall insulation must be equal to or greater than R-11, or cavity filled Prior wall insulation must not exceed R-4  Duct Insulation 18.6 Insulation must be equal to or greater than R-8 and must be reported in linear feet Prior duct insulation must not exceed R-0  Duct Sealing 1 Requires a minimum of 30% of applicable ductwork is outside of conditioned space  Only eligible with Attic Insulation. Must meet BPA specifications for attic and crawl space sealing. Attic insulation must be present.  Whole House Air Sealing 18.4 Minimum 400 CFM50 reduction using pre/post blower door testing \$500  Existing Home Bundle A 58.6 Any two unique insulation measures performed at the same time with a minimum 1,000sqft total	Programmable Thermostat <sup>1</sup>	7 day (flexibility)/5+2 (workweek/weekend)/5+1+1 day models	\$50
Prior attic insulation must not exceed R-19  Floor Insulation 1&4  Insulation must be equal to or greater than R-30, or cavity filled to R-19 Prior floor insulation must not exceed R-11  Wall/Sloped Ceiling Insulation 1&4  Insulation must be equal to or greater than R-11, or cavity filled Prior wall insulation must not exceed R-4  Insulation must be equal to or greater than R-8 and must be reported in linear feet Prior duct insulation must not exceed R-0  Duct Sealing 1  Requires a minimum of 30% of applicable ductwork is outside of conditioned space  Only eligible with Attic Insulation installation. Must meet BPA specifications for attic and crawl space sealing. Attic insulation must be present.  Whole House Air Sealing 1,4,&5  Minimum 400 CFM50 reduction using pre/post blower door testing  Any two unique insulation measures performed at the same time with a minimum 1,000sqft total			
Prior floor insulation must not exceed R-11  Wall/Sloped Ceiling Insulation 1&4  Insulation must be equal to or greater than R-11, or cavity filled Prior wall insulation must not exceed R-4  Duct Insulation 1&6  Insulation must be equal to or greater than R-8 and must be reported in linear feet Prior duct insulation must not exceed R-0  Duct Sealing 1  Requires a minimum of 30% of applicable ductwork is outside of conditioned space  Only eligible with Attic Insulation. Must meet BPA specifications for attic and crawl space sealing. Attic insulation must be present.  Whole House Air Sealing 1.4.8.5  Minimum 400 CFM50 reduction using pre/post blower door testing  Any two unique insulation measures performed at the same time with a minimum 1,000sqft total  \$2.00/sqft	Attic Insulation 1 & 4		\$2.00/sqft
Prior wall insulation must not exceed R-4  Duct Insulation 186  Insulation must be equal to or greater than R-8 and must be reported in linear feet Prior duct insulation must not exceed R-0  Duct Sealing 1  Requires a minimum of 30% of applicable ductwork is outside of conditioned space  Prescriptive Air Sealing 184  Only eligible with Attic Insulation. Must meet BPA specifications for attic and crawl space sealing. Attic insulation must be present.  Whole House Air Sealing 1, 4, 85  Minimum 400 CFM50 reduction using pre/post blower door testing \$500  Existing Home Bundle A 586  Any two unique insulation measures performed at the same time with a minimum 1,000sqft total	Floor Insulation <sup>1 &amp; 4</sup>		\$2.00/sqft
Duct Insulation 1&6 in linear feet Prior duct insulation must not exceed R-0  Duct Sealing 1  Requires a minimum of 30% of applicable ductwork is outside of conditioned space  Only eligible with Attic Insulation installation. Must meet BPA specifications for attic and crawl space sealing. Attic insulation must be present.  Whole House Air Sealing 1,4,85  Minimum 400 CFM50 reduction using pre/post blower door testing  \$500  Existing Home Bundle A 5&6  Any two unique insulation measures performed at the same time with a minimum 1,000sqft total	Wall/Sloped Ceiling Insulation 1 & 4		\$2.00/sqft
Prescriptive Air Sealing <sup>1&amp;4</sup> Only eligible with Attic Insulation installation. Must meet BPA specifications for attic and crawl space sealing. Attic insulation must be present.  Whole House Air Sealing <sup>1,4,&amp;5</sup> Minimum 400 CFM50 reduction using pre/post blower door testing  Solutions for attic and crawl space sealing. Attic insulation must be present.  Any two unique insulation measures performed at the same time with a minimum 1,000sqft total  \$250	Duct Insulation 1 & 6	in linear feet	\$2.00/Inft
Whole House Air Sealing 1, 4, 8.5 Minimum 400 CFM50 reduction using pre/post blower door testing \$500  Existing Home Bundle A 5 8 6 Any two unique insulation measures performed at the same time with a minimum 1,000sqft total \$250	Duct Sealing <sup>1</sup>		\$500
Existing Home Bundle A 5 & 6  Any two unique insulation measures performed at the same time with a minimum 1,000sqft total \$250	Prescriptive Air Sealing 1 & 4		\$150
a minimum 1,000sqft total	Whole House Air Sealing 1, 4, & 5	Minimum 400 CFM50 reduction using pre/post blower door testing	\$500
Existing Home Bundle B 5 8 6 Same requirements as Bundle A plus Whole Home Air Sealing \$1,000	Existing Home Bundle A 5 & 6		\$250
	Existing Home Bundle B 5 & 6	Same requirements as Bundle A plus Whole Home Air Sealing	\$1,000

# WA Energy Efficiency Program

## Rebate Measures List



In the Community to Serve®

## Apply Now!



# WA Energy Efficiency Program New & Existing Homes Incentives

#### **Measure Caveats**

- 1. Home must be heated by natural gas and a Variable Refrigerant Flow (VRF) or multi-zone ductless electric heat pump cannot be present.
- 2. Must use intermittent ignition device. Ventless fireplaces are not eligible. EnerGuide database: https://oee.nrcan.gc.ca/pml-lmp/index.cfm?action=app.search-recherche&appliance=FIREPLACE\_G
- 3. Water-heating fuel must be provided by CNGC for all water-heating incentives. Combined use of indirect, non-fired tank is acceptable for use with approved 95% AFUE Boiler where required.
- 4. Insulation and all air sealing measures must be performed by a CNGC qualified Trade Ally. Visit www.cngc.com/energy-efficiency for a list of qualified CNGC Trade Ally contractors in your area.
- 5. Requires WA Department of Commerce Combustion Safety Test Report Exhibits 9.4A and 5.S3A. https://www.cngc.com/wp-content/uploads/PDFs/Conservation/Combustion-Safety\_Blower-Door\_Diagnostic-Test-Report.pdf. Leakage reduction required to be verified and documented through pre and post blower door testing.
- 6. Ducts must be sealed prior to duct insulation being installed to qualify. HVAC contractors may install Duct Insulation and Duct Sealing.

### **Eligibility Requirements**

- Applications must be received within 90 days of install date.
- Applications must be a Washington State CNGC customer on residential rate schedule 503 (check your CNGC bill).
- Homes must be heated by natural gas to be eligible for space heating and weatherization rebate
- All measures must be installed by a Washington State licenses contractor in good standing, excluding doors, thermostats, and clothes washers. These measures may be self-installed with support documentation including: copies of purchase receipts and photos of equipment sticker, or screenshot of equipment information in the smart thermostat app displaying brand, model number, and serial number.
- <u>Ducts must be sealed prior to duct insulation being installed to qualify.</u>

### How to Qualify for Incentives

- Establish your eligibility by visiting www.cngc.com/energy-efficiency or calling 866.626.4479
- Install energy-efficient home improvements. Contact a CNGC Trade Ally or WA licensed contractor to install eligible measure. Visit the following link for a list of CNGC Trade Ally contractors. https://cngcconnect.my.site.com/tradeally/s/search?sector=Residential. If installing insulation or air sealing, you must use a CNGC Trade Ally.
- Submit your application. Apply online at www.cngc.com/energy-efficiency. Paper applications may be sent with a copy of your invoice to:



In the Community to Serve®

### Apply Now!



CNGC Energy Efficiency Rebate
Processing 1600 Iowa Street,
Bellingham, WA 98229