



WASHINGTON COMMERCIAL INDUSTRIAL REBATE APPLICATION

In the Community to Serve

CUSTOMER INFORMATION

Company name		Project number	
Contact name		Title	
Mailing Address			
Telephone	Cell	Website	
Email			
How did you hear about the CNG rebate program?		Contractor <input type="checkbox"/>	Letter <input type="checkbox"/>
Bill Insert <input type="checkbox"/>	Community Event <input type="checkbox"/>	Trade Association <input type="checkbox"/>	Newspaper <input type="checkbox"/>
		CNG Website <input type="checkbox"/>	
		Electric Utility <input type="checkbox"/>	

PROJECT/FACILITY INFORMATION

Gas use type: Heat <input type="checkbox"/> Water <input type="checkbox"/> Other _____			PLEASE ANSWER THESE QUESTIONS - REQUIRED FOR ELIGIBILITY
Is the site heated by an electric heat pump with natural gas backup? Yes <input type="checkbox"/> No <input type="checkbox"/>			
If yes, this is considered a dual fuel system and may not qualify for some CNG rebates. Questions? 866-450-0005			
Square footage	# of Floors	Electric Utility	
Cascade Natural Gas account #		Rate Schedule	504, 505, 511, 570, or 577
Project name		County	
Site address			

BUILDING USE TYPE

Education Lodging Restaurant Warehouse Grocery Retail Agriculture Healthcare Office
 Manufacturing Other _____

HOURS OF OPERATION

Mon	Tue	Wed	Thur	Fri	Sat	Sun	Weekly Hours	Total Annual Hours

SELECT YOUR REBATE

EQUIPMENT TYPE EXAMPLES: Furnace, Heater, Boiler, Boiler Vent Damper, Boiler Steam Trap¹, Domestic Hot Water⁴, Ozone Laundry⁴, Motion Control Faucet⁴, Clothes Washer⁴, Oven, Griddle, Steamer, Fryer, Dishwasher⁴ and Recirculation

Equipment Type	Model	Serial #	Size	New, Retrofit Replacment?	Installation Date	Rebate	Quantity	Total Rebate Amount
Existing equipment being replaced				Model #			Existing Estimated Efficiency %	

DEMAND CONTROL VENTILATION ²							
HVAC Unit Number	HVAC Unit Manufacturer	Model #	Age	Cooling Capacity (Tons)	DCV Unit/Controller (Make/Model #)	Rebate @\$20 per ton	Total Rebate Amount

INSULATION ³ - Insulation Types are Batts/Roll, Foam, Rigid, Loose Fill, Piping						
Insulation Type	Area Insulated	Roof Type	Installation Date	CNG Rebate (\$/sq. ft.)	Square Footage of Area	Total Rebate Amount (\$/sq. ft. x Square Footage)
Batts/roll, foam, rigid, loose fill, piping	Wall, Attic, Roof, Pipes	Pitched, Flat or Both				

- Insulation projects in spaces with existing, functional insulation do not qualify
- If existing insulation is damaged to the point of ineffectiveness or applied in spotty coverage, the insulation must be removed and the condition that lead to the ineffectiveness / damage must be corrected before a rebate will be considered
- The building or space insulated must be heated with natural gas provided by CNG
- Insulation R value must meet specifications of current CNGC tariff

GENERAL QUALIFICATIONS

- ♦ New or existing commercial or industrial customer of Cascade Natural Gas on one of the following rate schedules: 504, 505, 511, 570 or 577
- ♦ High efficiency equipment, i.e. heating, water heating & cooking equipment installed as a replacement, retrofit or new in place of standard efficiency
- ♦ Custom incentives are available, contact program representative if the equipment being installed is not on the prescriptive incentive list attached
- ♦ Rebates effective for installs on or after June 30, 2017
- ♦ Rebates are subject to change and are only applicable for tariff-approved measures in place at the time of installation
- ♦ Installation must comply with all federal, state and local code requirements
- ♦ Call 866-450-0005 or visit www.cngc.com/conservation or Email conserve@cngc.com to review qualifications and eligibility

- 1 - Regular steam trap maintenance and replacement every seven (7) years is required, retrofit only
- 2 - For Existing Packaged HVAC with Gas Fired Furnace and Direct Expansion Cooling Sections DCV; Controller must meet Joint Utility Advanced Rooftop Control Guidelines
- 3 - Minimum value of R-11 applies only where existing walls have on internal insulation cavities
- 4 - Eligibility contingent upon use of natural gas-fired domestic water serving the specific measure equipment or fixture

APPLICATION REQUIREMENTS CHECKLIST

W-9 Installer Invoice with model number and price Copy of CNG Bill Equipment Specifications

ACCEPTANCE OF TERMS AND CONDITIONS

By signing below, Participant agrees to the terms and conditions available at: <http://www.cngconserve.com/commercial-incentive-program>. Participant represents to CNGC that all energy-saving measures have been completed satisfactorily and Participant meets the eligibility requirements shown under the "general qualifications" section. CNGC and/or its representatives may request access to the property on which energy-saving measures have been completed and/or installed in order to do quality control inspections. Customer understands that CNGC and/or its representatives may review and evaluate the project during and after completion. Participants agree to provide access to the property for the purpose described above.

Sign Here 

Participant Signature **Date**

Mail: CNGC c/o Lockheed Martin Energy Fax: 877-671-2998
 22121 20th Avenue SE, Bothell WA 98021 Questions? 866-450-0005

<p>Warm Air Furnaces - \$3.00/kBtu/hr High Efficiency Condensing Furnace—Min 91% AFUE</p>	<p>Motion Control Faucet³ - \$105 Maximum flow rate of 1.8 gpm WaterSense® Certified and Below Deck Mixing Valve</p>
<p>HVAC Unit Heater - \$1.50/kBtu/hr High Efficiency Non-Condensing Min—86% AFUE</p>	<p>Clothes Washer³ - \$180 Commercial gas washer—1.8 MEF</p>
<p>HVAC Unit Heater - \$3.00/kBtu/hr High Efficiency Condensing Min—92% AFUE</p>	<p>Gas Convection Oven - \$500 ENERGY STAR® ≥42% Cooking Eff/ ≤13,000 Btu/hr Idle Rate</p>
<p>Radiant Heating - \$10.00/kBtu/hr Direct fired radiant heating</p>	<p>Gas Griddle - \$500 ENERGY STAR® ≥38% Cooking Eff/ ≤2650 Btu/hr sq ft Idle Rate</p>
<p>Boiler - \$4.00/kBtu/hr High Efficiency Condensing Boiler Min 90% Thermal Eff & 300 kBtu input</p>	<p>Gas Conveyor Oven - \$600 Greater than 42% tested baking efficiency</p>
<p>Boiler Vent Damper - \$1,000 Min 1,000 kBtu input</p>	<p>Connectionless 3 Pan Gas Steamer - \$850 ENERGY STAR® or CEE/FSTC Qualified ≥38% Cooking Eff / ≤2,083 Btu/hr/pan Idle Rate</p>
<p>Boiler Steam Trap¹ - \$125 Min 300 kBtu in; steam pressure at 7psig or > Retrofit Only</p>	<p>Connectionless 6 Pan Gas Steamer - \$1,200 ENERGY STAR® or CEE/FSTC Qualified ≥38% Cooking Eff / ≤2,083 Btu/hr/pan Idle Rate</p>
<p>Domestic Hot Water Tanks³ - \$2.50/kBtu/hr Condensing tank, Min 91% Thermal Eff</p>	<p>Double Rack Oven - \$2,000 FSTC Qualified ≥50% Cooking Eff/ ≤3,500 Btu/hr/Idle Rate D Rack</p>
<p>Domestic Hot Water Tankless Water Heater³ - \$60/gpm ENERGY STAR® .82 EF</p>	<p>ENERGY STAR® Gas Fryer - \$600</p>
<p>Attic Insulation - (retrofit only) Tier 1: Min R-30 - \$1.10/sq ft Tier 2: Min R-45 - \$1.25/sq ft</p>	<p>Door Type Dishwasher Low Temp Gas³ - \$800 ENERGY STAR® ≤.6 kw Idle Rate/ ≤1.18 gallon/rack</p>
<p>Roof Insulation - (retrofit only) Tier 1: Min R-21 - \$1.35/sq ft Tier 2: Min R-30 - \$1.60/sq ft</p>	<p>Multi-Tank Conveyor Low Temp Dishwasher³ - \$2,000 Gas Main w/Electric Booster ENERGY STAR® ≤2.0 kw Idle Rate; ≤ 0.50 gallons/rack</p>
<p>Wall Insulation² - (retrofit only) Tier 1: Min R-11 - \$1.10/sq ft Tier 2: Min R-19 - \$1.25/sq ft</p>	<p>Recirculation Controls³ - \$100 Continuous Operation DHW Pump. Retrofit Only. Pre-Approval required.</p>
<p>Energy Savings Kits³ - FREE A: Kitchen Pre Rinse Spray Valve & Bath Aerators B: Low Flow Showerhead</p>	<p>Demand Control Ventilation⁴ - \$20/nominal ton 5 tons ≤ Unit Cooling Capacity ≤ 20 tons. Pre-Approval Required.</p>
<p>Ozone Injection Laundry³ - \$2,500 Venturi injection or bubble diffusion - Min 125 lb. total washer/extractor capacity. Pre-approval required.</p>	<p>Hot Fluid Pipe Insulation³ - Retrofit Only. >140F, <200F, 1.5" insulation - \$4.50 per linear foot ≥ 200F, 2.5" insulation- \$9.00 per linear foot</p>
<p>NEW! Bundle and save in addition to your standard incentive! Two insulation measures, min. 1000 sqft +\$500 Two Kitchen Equipment⁵ +\$150, Three Kitchen Equipment⁵ +\$300</p>	



If you are planning equipment or building upgrades that do not fit within the standard incentives, but significantly reduce natural gas consumption, please call 866.450.0005 to learn about **custom project opportunities**.

Mixed purpose facilities that include buildings on both Residential Rate Schedule 503 and qualifying Rate Schedules 504, 505, 511, 570, and 577 as part of the same Cascade Natural Gas customer account are also eligible for custom conservation incentives.

1 This measure will only be allowed where the customer agrees to regular trap maintenance and replacement every seven (7) years.

2 Minimum value of R-11 applies only where existing walls have no internal insulation cavities.

3 Incentive eligibility contingent upon use of natural gas fired domestic hot water serving the specified measure equipment or fixture.

4 For Existing Packaged HVAC Units equipped with Gas Fired Furnace and Direct Expansion Cooling Sections DCV Unit; Controller must meet Joint Utility Advanced Rooftop Control Guidelines

5 Kitchen Equipment defined as dishwashers, steamers, ovens, fryers, and griddles.

Who is eligible to participate?

- Must be a new or existing commercial or industrial customer of CNGC on one of five qualifying rate schedules: 504, 505, 511, 570 or 577.
- Incentives apply on qualified high-efficiency natural gas equipment such as heating, insulation, water heating systems, cooking equipment installed as replacement, retrofit as well as new installation in place of standard efficiency equipment. If the equipment installation, replacement, or retrofit provides significant increase over existing high-efficiency equipment, and is not listed here please contact program representative for potential custom incentive.
- Insulation must be installed in an existing building, heated by natural gas, without functional insulation.
- Eligible measures installed are subject to the available incentives coinciding with the date of the installation as outlined in CNGC's tariff.
- Customers requesting incentives for site-specific energy efficiency measures must submit estimated costs and natural gas savings associated with the project. Natural gas savings are to be calculated using standard engineering practices. CNGC will review the natural gas savings calculations, and reserves the right to modify energy savings estimates.

How to qualify for Cascade Natural Gas incentives

- 1 Establish your eligibility. Call 1.866.450.0005 or visit www.cngc.com/conservation for program requirements.
- 2 Install energy-efficient upgrades. Contact a participating Trade Ally contractor or licensed contractor to install eligible measures.
- 3 Get the application, available online at www.cngc.com/conservation.
- 4 Sign and submit the following forms:

[C&I Standard Incentive application](#) • [W9 form](#) •
[Invoice/Quote for equipment installation](#) • [Manufacturer's spec sheet](#)

Mail forms to:

Cascade Natural Gas Corporation, c/o Lockheed Martin Energy
22121 20th Avenue SE, Bothell, WA 98021

Fax: 877.671.2998

Upon receipt of completed application, please allow six weeks for processing and payment.

Get started today!

To apply for an incentive, apply online or download a PDF application at www.cngc.com/conservation and return it by fax or mail.



Questions on food service, lodging or health care projects? Call 866.450.0005